



Qualissure Laboratory Services

361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107
Email : qualissure@gmail.com; info@qualissure.com ; Mob.No. 98312 87086 ; 9830093976



DOC NO : QLS/SAMP/08-A/00

TEST REPORT

Name & Address Of the Customer: M/s. Shree Ramdoot Rollers Pvt. Ltd. Vill & Mouza : Nidhirampur, P.S: Gangajalghati, JL No: 034, Khatam No. 1196, District: Bankura, Pin: 722133	Report No. : QLS/P-127/25-26/C/06 Date : 09.04.2026 Sample No. : QLS/P-127/25-26/06 Sample Description : Ambient Air Sample Mark : Near Main Gate Date of Performance(s) : 24.03.2026-28.03.2026 Ref. No. & Date : Verbal Confirmation
--	--

Analysis Result

Location : Near Main Gate			Date of sampling : 22-23.03.2026	
Sampling Done by: P.Mandal/S.Pal			Sampling done as per : CPCB Guidelines (Volume-1)	
Environmental Condition : Clear & Sunny				
Sl. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	132	100	IS 5182 (Part-23) Reff 2022
2	Particulate matter (PM _{2.5}) in µg/m ³	63	60	IS 5182 (Part-24) Reff 2024
3	Sulphur dioxide (SO ₂) in µg/m ³	10.2	80	IS 5182(Part -2) Reff 2023
4	Nitrogen dioxide (NO ₂) in µg/m ³	34.1	80	IS 5182 (Part -6) Reff 2017
5	Carbon Monoxide (CO) in µg/m ³	1121	2000	IS 5182 (Part -10) Reff 2019
NOTE: Limit as per CPCB notification, New Delhi, 18 th November 2009, for Ambient air quality.				

Report Prepared By:



for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



Qualissure Laboratory Services

361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107
Email : qualissure@gmail.com; info@qualissure.com ; Mob.No. 98312 87086 ; 9830093976



DOC NO : QLS/SAMP/08-A/00

TEST REPORT

Name & Address Of the Customer: M/s.Shree Ramdoot Rollers Pvt. Ltd. Vill & Mouza : Nidhirampur, P.S: Gangajalghati, JL No: 034, Khatam No. 1196, District: Bankura, Pin: 722133	Report No. : QLS/P-127/25-26/C/07 Date : 09.04.2026 Sample No. : QLS/P-127/25-26/07 Sample Description : Ambient Air Sample Mark : Back Side Gate Date of Performance(s) : 24.03.2026-28.03.2026 Ref. No. & Date : Verbal Confirmation
---	--

Analysis Result

Location : Back Side Gate			Date of sampling : 22-23.03.2026	
Sampling Done by: P.Mandal/S.Pal			Sampling done as per : CPCB Guidelines (Volume-1)	
Environmental Condition : Clear & Sunny				
Sl. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	111	100	IS 5182 (Part-23) Reff 2022
2	Particulate matter (PM _{2.5}) in µg/m ³	50	60	IS 5182 (Part-24) Reff 2024
3	Sulphur dioxide (SO ₂) in µg/m ³	9.4	80	IS 5182(Part -2) Reff 2023
4	Nitrogen dioxide (NO ₂) in µg/m ³	32.2	80	IS 5182 (Part -6) Reff 2017
5	Carbon Monoxide (CO) in µg/m ³	1098	2000	IS 5182 (Part -10) Reff 2019
NOTE: Limit as per CPCB notification, New Delhi, 18 th November 2009, for Ambient air quality.				

Report Prepared By:



for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-C/00

TEST REPORT

Name & Address Of the Customer: M/s.Shree Ramdoot Rollers Pvt. Ltd. Vill & Mouza : Nidhirampur, P.S: Gangajalghati, JL No: 034, Khatam No. 1196, District: Bankura, Pin: 722133	Report No. : QLS/P-127/25-26/C/08 Date : 09.04.2026 Sample No. : QLS/P-127/25-26/08(A-B) Sample Description : Ambient Noise Monitoring Date of Performance(s) : 24.03.2026-28.03.2026 Ref. No. & Date : Mail Confirmation
---	--

Monitoring Result of Noise

Sampling Done By: S.Pal				
Sampling Guideline : As per IS: 9989: 1981 (RA-2020)				
Sample No.	Date of Monitoring	Location	Leq dB (A) Day Time	Leq dB (A) Night Time
P-127/08A	22.03.2026- 23.03.2026	Near Main Gate	57.6	47.9
P-127/08B		Back Side Gate	63.2	48.3

Code/ Category	Leq dB (A) Day Time	Leq dB (A) Night Time	NOTE: Day Time : 06.00 Hr. – 22.00 Hr. Night Time : 22.00 Hr. – 06.00 Hr.
A/Industrial	75	70	
B/Commercial	65	55	
C/Residential	55	45	
D/Ecological Sensitive	50	40	

Report Prepared By:



for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer : M/s.Shree Ramdoot Rollers Pvt. Ltd. Vill & Mouza: Nidhirampur, P.S: Gangajalghati, JL No: 034, Khatam No. 1196, District: Bankura, Pin: 722133	ULR No.	: TC627126000002742F
	Report No.	: QLS/P-127/25-26/C/09
	Date	: 23.04.2026
	Sample No.	: QLS/P-127/25-26/09
	Sample Description	: Ground Water
	Sample Mark/ Location	: Borewell
	Date of Performance(s)	: 24.03.2026-31.03.2026
	Sample Drawn On	: 22.03.2026
	Sampling Method	: IS 17614 (P-5 & P-25) 2021 & 2022
	Ref. No.& Date	: Verbal Confirmation

Analysis Result

(A) Microbiological Analysis

Sl.No.	Characteristic	Limit as Per IS 10500 :2012Amd. 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 (RA 2021)	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 (RA 2021)	Not Detected

(B) Chemical Analysis

Sl.No.	Test Parameter	Test Method	IS 10500:2012Amd. 1 & 2		Result
			Acceptable Limit	Permissible Limit	
1.	Colour in Hazen Units	IS 3025 (Part 5):2021	5	15	<5
2.	Odour	IS 3025(Part 5) 2018	Agreeable	Agreeable	Agreeable
3.	pH Value at 25°C	IS 3025 (Part 11)- 2022	6.5-8.5	No Relaxation	7.52
4.	Turbidity in NTU	IS 3025 (Part 10)- 2023	1	5	<1.0
5.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)- 2023	500	2000	382
6.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
7.	Ammonia as NH ₃ in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
8.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K) ; RA:2018	0.2	1.0	<0.02
9.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
10.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	70.7
11.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	69.8
12.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992 ; RA 2019	0.05	1.5	<0.02
13.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.2
14.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ; 2021	0.2	1.0	<0.1
15.	Iron (as Fe) in mg/l	IS 3025(Part 53)- 2003 RA: 2019	1.0	No Relaxation	0.37
16.	Magnesium(as Mg) in mg/l	APHA 24 th Edition- 2023, 3500 Mg	30	100	24.7
17.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
18.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
19.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43) Sec 1, 2022	0.001	0.002	<0.001
20.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
21.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24) Sec 1, 2022	200	400	28.9
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	229.6
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	279.7
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)- 2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)- 2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994; RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003; RA 2019	0.05	No Relaxation	<0.05

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer :	ULR No. : TC627126000002743F
M/s.Shree Ramdoot Rollers Pvt. Ltd.	Report No. : QLS/P-127/25-26/C/10
Vill & Mouza : Nidhirampur,	Date : 23.04.2026
P.S: Gangajalghati, JL No: 034,	Sample No. : QLS/P-127/25-26/10
Khatam No. 1196,	Sample Description : Drinking Water
District: Bankura,	Sample Mark/ Location : Water Purifier Front Office
Pin: 722133	Date of Performance(s) : 24.03.2026-31.03.2026
	Sample Drawn On : 22.03.2026
	Sampling Method : IS 17614(P-1, P-5 & P-25) 2021 & 2022
	Ref. No.& Date : Verbal Confirmation

Analysis Result

(A) Microbiological Analysis

Sl.No.	Characteristic	Limit as Per IS 10500 :2012Amd. 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016	Not Detected

(B) Chemical Analysis

Sl.No.	Test Parameter	Test Method	IS 10500:2012Amd. 1 & 2		Result
			Acceptable Limit	Permissible Limit	
1.	Colour in Hazen Units	IS 3025 (Part 5):2021	5	15	<5
2.	Odour	IS 3025(Part 5) 2018	Agreeable	Agreeable	Agreeable
3.	pH Value at 25°C	IS 3025 (Part 11)- 2022	6.5-8.5	No Relaxation	7.03
4.	Turbidity in NTU	IS 3025 (Part 10)- 2023	1	5	<1.0
5.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)- 2023	500	2000	92
6.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
7.	Ammonia as NH ₃ in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
8.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K) ; RA:2018	0.2	1.0	<0.02
9.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
10.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	14.7
11.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	20.7
12.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992 ; RA 2019	0.05	1.5	<0.02
13.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
14.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ; 2021	0.2	1.0	<0.1
15.	Iron (as Fe) in mg/l	IS 3025(Part 53)- 2003 RA: 2019	1.0	No Relaxation	0.07
16.	Magnesium(as Mg) in mg/l	APHA 24 th Edition- 2023, 3500 Mg	30	100	3.5
17.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
18.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
19.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43) Sec 1, 2022	0.001	0.002	<0.001
20.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
21.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24) Sec 1, 2022	200	400	10.4
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	46.6
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	51.5
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)- 2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)- 2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994; RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003; RA 2019	0.05	No Relaxation	<0.05

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.